

2018

South Carolina County-Level Profiles on Substance Use-Related Indicators



Prepared by

South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS)
State Epidemiological Outcomes Workgroup (SEOW)

The *South Carolina County-Level Profiles on Substance Use-Related Indicators* was developed as part of ongoing efforts by the State Epidemiological Outcomes Workgroup (SEOW) to generate user-friendly data reports related to substance misuse. This report is intended to shed light on the social, economic, and civic conditions in South Carolina that are associated with substance use/misuse. Data from all 46 counties in South Carolina are included in these analyses, providing a picture of the conditions that put communities at risk for substance misuse and other related behavioral health issues.

SEOW Mission

The mission of the South Carolina State Epidemiological Outcomes Workgroup is to create a highly effective statewide comprehensive substance use prevention data system that will support and enhance efforts to reduce drug misuse across the lifespan of people living in South Carolina.

This document was made possible by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS) and the Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration (CSAP-SAMHSA).

South Carolina

DAODAS

South Carolina Department of Alcohol and Other Drug Abuse Services

2018 County-Level Profile on Substance Use Related Indicators

ABBEVILLE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	11					
Low Birth Weight Status	8.9% of live births	10					
Poor Mental Health Days	4.6 (days/month)**	24					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,300 per 100,000**	9					
Socio-Economic	Avg Category Ranking	28					
Unemployment Rate	4.6% of labor force**	22					
Median Household Income	\$40,211 average	29					
K-12 Free and Reduced Lunch Eligible	68% eligible	21					
Dropouts, Annually in Grades 9-12	3.3% of total enrolled**	40					
Alcohol Use	Avg Category Ranking	24					
Binge Drinking among Adults	13.0%	22					
Heavy Use of Alcohol among Adults	4.6%**	15					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	48%	44					
Alcohol Related Hospitalization and ED Rates	829 per 100,000	15					
Tobacco Use	Avg Category Ranking	25					
Cigarette Use among Adults	14.9% smoke every day	5					
Smokeless Tobacco Use among Adults	8.3% use every day	45					
Opioid Use	Avg Category Ranking	27					
Opioid Overdose Related Deaths	26.4 per 100,000	43					
Opioid Overdose Related Hospitalization and ED Rates	89 per 100,000	11					
Infectious Disease	Avg Category Ranking	3					
HIV Rate	<5 cases	1					
Hepatitis C Rate	69 per 100,000	5					
Treatment Services*	Avg Category Ranking	25					
Injection Use (current or past use)	7.3%	36					
Tobacco Use (current use)	60.1%	28					
Primary or Secondary Diagnosis							
Alcohol	58.9%	18					
Marijuana	56.4%	37					
Opiates	15.5%	22					
Tobacco	2.6%	6					
Cocaine	18.9%	30					
Amphetamines	20.5%	37					

*Treatment figures include all counties served by Cornerstone - GEMA (Abbeville, Edgefield, Greenwood, McCormick)

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

AIKEN COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	9					
Low Birth Weight Status	9.2% of live births**	13					
Poor Mental Health Days	4.2 (days/month)**	4					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,800 per 100,000	19					
Socio-Economic	Avg Category Ranking	13					
Unemployment Rate	4.1% of labor force**	12					
Median Household Income	\$47,394 average	13					
K-12 Free and Reduced Lunch Eligible	58.3% eligible	14					
Dropouts, Annually in Grades 9-12	1.5% of total enrolled**	13					
Alcohol Use	Avg Category Ranking	28					
Binge Drinking among Adults	15.1%	32					
Heavy Use of Alcohol among Adults	7.4%	36					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	47%	40					
Alcohol Related Hospitalization and ED Rates	590 per 100,000	3					
Tobacco Use	Avg Category Ranking	21					
Cigarette Use among Adults	20% smoke every day	20					
Smokeless Tobacco Use among Adults	3.9% use every day	22					
Opioid Use	Avg Category Ranking	22					
Opioid Overdose Related Deaths	20.3 per 100,000	39					
Opioid Overdose Related Hospitalization and ED Rates	61.8 per 100,000	5					
Infectious Disease	Avg Category Ranking	12					
HIV Rate	11 per 100,000**	17					
Hepatitis C Rate	69 per 100,000	6					
Treatment Services	Avg Category Ranking	27					
Injection Use (current or past use)	3.8%	25					
Tobacco Use (current use)	57.2%	23					
Primary or Secondary Diagnosis							
Alcohol	66.7%	33					
Marijuana	52.2%	28					
Opiates	12.3%	9					
Tobacco	46.8%	38					
Cocaine	16.7%	27					
Amphetamines	15.6%	32					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

ALLENDALE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	24					
Low Birth Weight Status	12.1% of live births	36					
Poor Mental Health Days	4.9 (days/month)**	39					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,900 per 100,000**	20					
Socio-Economic	Avg Category Ranking	43					
Unemployment Rate	6.9% of labor force	42					
Median Household Income	\$26,864	46					
K-12 Free and Reduced Lunch Eligible	99.8% eligible	39					
Dropouts, Annually in Grades 9-12	6% of total enrolled	46					
Alcohol Use	Avg Category Ranking	18					
Binge Drinking among Adults	5.5%	2					
Heavy Use of Alcohol among Adults	8.6%	40					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	13%	2					
Alcohol Related Hospitalization and ED Rates	1,033 per 100,000	26					
Tobacco Use	Avg Category Ranking	11					
Cigarette Use among Adults	20.3% smoke every day	21					
Smokeless Tobacco Use among Adults	1.3% use every day	1					
Opioid Use	Avg Category Ranking	6					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	88.9 per 100,000	10					
Infectious Disease	Avg Category Ranking	2					
HIV Rate	<5 cases	1					
Hepatitis C Rate	44 per 100,000	2					
Treatment Services*	Avg Category Ranking	19					
Injection Use (current or past use)	0.8%	1					
Tobacco Use (current use)	66.9%	43					
Primary or Secondary Diagnosis							
Alcohol	72.0%	38					
Marijuana	50.8%	22					
Opiates	12.7%	10					
Tobacco	36.4%	29					
Cocaine	14.4%	12					
Amphetamines	1.7%	1					

*Treatment figures include Allendale, Hampton, and Jasper counties, all served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

ANDERSON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	19					
Low Birth Weight Status	9.0% of live births**	11					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	3 per 100,000	41					
Rate of Juvenile Cases Referred	2,500 per 100,000**	13					
Socio-Economic	Avg Category Ranking	14					
Unemployment Rate	3.9% of labor force**	7					
Median Household Income	\$45,821	17					
K-12 Free and Reduced Lunch Eligible	52.2% eligible	7					
Dropouts, Annually in Grades 9-12	2.1% of total enrolled**	23					
Alcohol Use	Avg Category Ranking	19					
Binge Drinking among Adults	12.7%	20					
Heavy Use of Alcohol among Adults	4.9%	21					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	31%	11					
Alcohol Related Hospitalization and ED Rates	913 per 100,000	22					
Tobacco Use	Avg Category Ranking	28					
Cigarette Use among Adults	19.1% smoke every day	19					
Smokeless Tobacco Use among Adults	5.2% use every day	37					
Opioid Use	Avg Category Ranking	19					
Opioid Overdose Related Deaths	12.0 per 100,000	22					
Opioid Overdose Related Hospitalization and ED Rates	93.1 per 100,000	16					
Infectious Disease	Avg Category Ranking	14					
HIV Rate	8 per 100,000**	8					
Hepatitis C Rate	110 per 100,000	19					
Treatment Services*	Avg Category Ranking	37					
Injection Use (current or past use)	3.7%	20					
Tobacco Use (current use)	63.2%	38					
Primary or Secondary Diagnosis							
Alcohol	74.0%	42					
Marijuana	64.6%	44					
Opiates	14.9%	20					
Tobacco	62.0%	43					
Cocaine	17.9%	28					
Amphetamines	32.2%	45					

*Treatment figures include all counties served by Anderson-Oconee

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

BAMBERG COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	16					
Low Birth Weight Status	10.8% of live births**	26					
Poor Mental Health Days	4.7 (days/month)**	30					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,100 per 100,000	8					
Socio-Economic	Avg Category Ranking	38					
Unemployment Rate	7.4% of labor force**	44					
Median Household Income	\$32,245	41					
K-12 Free and Reduced Lunch Eligible	100.0% eligible**	45					
Dropouts, Annually in Grades 9-12	2.1% of total enrolled**	23					
Alcohol Use	Avg Category Ranking	32					
Binge Drinking among Adults	14.9%	30					
Heavy Use of Alcohol among Adults	9.2%	41					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	47%	42					
Alcohol Related Hospitalization and ED Rates	848 per 100,000	16					
Tobacco Use	Avg Category Ranking	23					
Cigarette Use among Adults	17.4% smoke every day	10					
Smokeless Tobacco Use among Adults	5.0% use every day	36					
Opioid Use	Avg Category Ranking	2					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	48.7 per 100,000	3					
Infectious Disease	Avg Category Ranking	16					
HIV Rate	14 per 100,000**	24					
Hepatitis C Rate	70 per 100,000	7					
Treatment Services*	Avg Category Ranking	25					
Injection Use (current or past use)	3.7%	22					
Tobacco Use (current use)	52.6%	12					
Primary or Secondary Diagnosis							
Alcohol	59.5%	22					
Marijuana	54.8%	32					
Opiates	13.9%	15					
Tobacco	44.4%	35					
Cocaine	23.3%	40					
Amphetamines	10.2%	23					

*Treatment figures include Bamberg, Calhoun, and Orangeburg counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

BARNWELL COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	21					
Low Birth Weight Status	10.9% of live births**	28					
Poor Mental Health Days	4.6 (days/month)**	24					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,800 per 100,000**	31					
Socio-Economic	Avg Category Ranking	25					
Unemployment Rate	6.0% of labor force**	36					
Median Household Income	\$41,803	25					
K-12 Free and Reduced Lunch Eligible	72.7% eligible	25					
Dropouts, Annually in Grades 9-12	1.5% of total enrolled**	13					
Alcohol Use	Avg Category Ranking	21					
Binge Drinking among Adults	15.1%	31					
Heavy Use of Alcohol among Adults	3.7%	8					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	42%	33					
Alcohol Related Hospitalization and ED Rates	726 per 100,000	10					
Tobacco Use	Avg Category Ranking	28					
Cigarette Use among Adults	18.7% smoke every day	17					
Smokeless Tobacco Use among Adults	5.4% use every day	38					
Opioid Use	Avg Category Ranking	27					
Opioid Overdose Related Deaths	15.0 per 100,000	30					
Opioid Overdose Related Hospitalization and ED Rates	126.5 per 100,000	23					
Infectious Disease	Avg Category Ranking	20					
HIV Rate	19 per 100,000**	29					
Hepatitis C Rate	75 per 100,000	11					
Treatment Services	Avg Category Ranking	25					
Injection Use (current or past use)	4.2%	27					
Tobacco Use (current use)	55.8%	20					
Primary or Secondary Diagnosis							
Alcohol	69.2%	35					
Marijuana	55.5%	35					
Opiates	10.8%	7					
Tobacco	21.4%	24					
Cocaine	15.8%	22					
Amphetamines	11.3%	29					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

BEAUFORT COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	19					
Low Birth Weight Status	8.5% of live births	7					
Poor Mental Health Days	3.8 (days/month)	1					
Adolescent Suicide Rate	3.8 per 100,000	42					
Rate of Juvenile Cases Referred	3,400 per 100,000	26					
Socio-Economic	Avg Category Ranking	10					
Unemployment Rate	4.0% of labor force**	9					
Median Household Income	\$65,354	1					
K-12 Free and Reduced Lunch Eligible	58.4% eligible	15					
Dropouts, Annually in Grades 9-12	1.5% of total enrolled**	13					
Alcohol Use	Avg Category Ranking	31					
Binge Drinking among Adults	19.3%	44					
Heavy Use of Alcohol among Adults	11.0%	46					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	32%	12					
Alcohol Related Hospitalization and ED Rates	882 per 100,000	21					
Tobacco Use	Avg Category Ranking	11					
Cigarette Use among Adults	13.7% smoke every day	3					
Smokeless Tobacco Use among Adults	3.7% use every day	18					
Opioid Use	Avg Category Ranking	25					
Opioid Overdose Related Deaths	11.6 per 100,000	21					
Opioid Overdose Related Hospitalization and ED Rates	137.0 per 100,000	28					
Infectious Disease	Avg Category Ranking	11					
HIV Rate	8 per 100,000**	8					
Hepatitis C Rate	93 per 100,000	14					
Treatment Services	Avg Category Ranking	19					
Injection Use (current or past use)	3.0%	13					
Tobacco Use (current use)	44.3%	8					
Primary or Secondary Diagnosis							
Alcohol	80.0%	45					
Marijuana	53.6%	30					
Opiates	9.9%	5					
Tobacco	8.0%	18					
Cocaine	15.1%	16					
Amphetamines	2.7%	10					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

BERKELEY COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	13					
Low Birth Weight Status	8.4% of live births**	4					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,900 per 100,000	33					
Socio-Economic	Avg Category Ranking	15					
Unemployment Rate	3.8% of labor force**	5					
Median Household Income	\$58,690	3					
K-12 Free and Reduced Lunch Eligible	59.0% eligible	16					
Dropouts, Annually in Grades 9-12	2.9% of total enrolled	34					
Alcohol Use	Avg Category Ranking	29					
Binge Drinking among Adults	17.0%	41					
Heavy Use of Alcohol among Adults	6.9%	34					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	36%	21					
Alcohol Related Hospitalization and ED Rates	878 per 100,000	20					
Tobacco Use	Avg Category Ranking	10					
Cigarette Use among Adults	17.3% smoke every day	8					
Smokeless Tobacco Use among Adults	3.2% use every day	12					
Opioid Use	Avg Category Ranking	28					
Opioid Overdose Related Deaths	10.8 per 100,000	20					
Opioid Overdose Related Hospitalization and ED Rates	158.8 per 100,000	36					
Infectious Disease	Avg Category Ranking	9					
HIV Rate	8 per 100,000**	8					
Hepatitis C Rate	74 per 100,000	9					
Treatment Services	Avg Category Ranking	10					
Injection Use (current or past use)	3.4%	15					
Tobacco Use (current use)	53.8%	18					
Primary or Secondary Diagnosis							
Alcohol	41.0%	6					
Marijuana	40.8%	10					
Opiates	9.4%	4					
Tobacco	3.9%	11					
Cocaine	9.1%	2					
Amphetamines	10.0%	22					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

CALHOUN COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	13					
Low Birth Weight Status	10.2% of live births**	18					
Poor Mental Health Days	4.3 (days/month)**	9					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,200 per 100,000	24					
Socio-Economic	Avg Category Ranking	23					
Unemployment Rate	5.2% of labor force	30					
Median Household Income	\$41,786	26					
K-12 Free and Reduced Lunch Eligible	97.1% eligible	35					
Dropouts, Annually in Grades 9-12	0.4% of total enrolled	2					
Alcohol Use	Avg Category Ranking	21					
Binge Drinking among Adults	16.5%	39					
Heavy Use of Alcohol among Adults	6.0%	30					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	22%	3					
Alcohol Related Hospitalization and ED Rates	741 per 100,000	12					
Tobacco Use	Avg Category Ranking	16					
Cigarette Use among Adults	13.2% smoke every day	1					
Smokeless Tobacco Use among Adults	4.7% use every day	31					
Opioid Use	Avg Category Ranking	1					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	40.8 per 100,000	1					
Infectious Disease	Avg Category Ranking	4					
HIV Rate	7 per 100,000**	5					
Hepatitis C Rate	48 per 100,000	3					
Treatment Services*	Avg Category Ranking	26					
Injection Use (current or past use)	3.7%	23					
Tobacco Use (current use)	52.6%	13					
Primary or Secondary Diagnosis							
Alcohol	59.5%	22					
Marijuana	54.8%	32					
Opiates	13.9%	15					
Tobacco	44.4%	35					
Cocaine	23.3%	40					
Amphetamines	10.2%	23					

*Treatment figures include Bamberg, Calhoun, and Orangeburg counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.



























The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

CHARLESTON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	23					
Low Birth Weight Status	9.0% of live births**	11					
Poor Mental Health Days	4.2 (days/month)**	4					
Adolescent Suicide Rate	1.8 per 100,000	39					
Rate of Juvenile Cases Referred	5,200 per 100,000	39					
Socio-Economic	Avg Category Ranking	13					
Unemployment Rate	3.5% of labor force	1					
Median Household Income	\$56,564	6					
K-12 Free and Reduced Lunch Eligible	45.0% eligible	3					
Dropouts, Annually in Grades 9-12	3.8% of total enrolled	43					
Alcohol Use	Avg Category Ranking	39					
Binge Drinking among Adults	21.7%	46					
Heavy Use of Alcohol among Adults	9.5%	42					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	38%	29					
Alcohol Related Hospitalization and ED Rates	1,290 per 100,000	39					
Tobacco Use	Avg Category Ranking	14					
Cigarette Use among Adults	18.0% smoke every day	12					
Smokeless Tobacco Use among Adults	3.4% use every day	15					
Opioid Use	Avg Category Ranking	37					
Opioid Overdose Related Deaths	22.1 per 100,000	40					
Opioid Overdose Related Hospitalization and ED Rates	153.7 per 100,000	33					
Infectious Disease	Avg Category Ranking	35					
HIV Rate	22 per 100,000**	37					
Hepatitis C Rate	144 per 100,000	33					
Treatment Services	Avg Category Ranking	35					
Injection Use (current or past use)	16.2%	46					
Tobacco Use (current use)	61.2%	35					
Primary or Secondary Diagnosis							
Alcohol	69.5%	36					
Marijuana	48.8%	19					
Opiates	31.4%	42					
Tobacco	65.8%	46					
Cocaine	28.4%	46					
Amphetamines	9.3%	21					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

CHEROKEE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	21					
Low Birth Weight Status	11.2% of live births	32					
Poor Mental Health Days	4.9 (days/month)**	39					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,500 per 100,000**	13					
Socio-Economic	Avg Category Ranking	28					
Unemployment Rate	4.9% of labor force	28					
Median Household Income	\$38,273	33					
K-12 Free and Reduced Lunch Eligible	80.3% eligible	29					
Dropouts, Annually in Grades 9-12	1.9% of total enrolled**	20					
Alcohol Use	Avg Category Ranking	13					
Binge Drinking among Adults	6.6%	3					
Heavy Use of Alcohol among Adults	50.0%	1					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	38%	29					
Alcohol Related Hospitalization and ED Rates	860 per 100,000	17					
Tobacco Use	Avg Category Ranking	45					
Cigarette Use among Adults	31.6% smoke every day	45					
Smokeless Tobacco Use among Adults	7.4% use every day	44					
Opioid Use	Avg Category Ranking	14					
Opioid Overdose Related Deaths	1.9 per 100,000	8					
Opioid Overdose Related Hospitalization and ED Rates	120.8 per 100,000	20					
Infectious Disease	Avg Category Ranking	17					
HIV Rate	5 per 100,000	4					
Hepatitis C Rate	138 per 100,000	30					
Treatment Services	Avg Category Ranking	20					
Injection Use (current or past use)	4.8%	30					
Tobacco Use (current use)	55.7%	26					
Primary or Secondary Diagnosis							
Alcohol	42.6%	7					
Marijuana	47.4%	18					
Opiates	13.7%	14					
Tobacco	36.4%	33					
Cocaine	7.3%	1					
Amphetamines	27.3%	44					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

CHESTER COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	19					
Low Birth Weight Status	11.6% of live births	33					
Poor Mental Health Days	4.6 (days/month)**	24					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,600 per 100,000	16					
Socio-Economic	Avg Category Ranking	30					
Unemployment Rate	6.0% of labor force**	36					
Median Household Income	\$39,972	30					
K-12 Free and Reduced Lunch Eligible	72.1% eligible	24					
Dropouts, Annually in Grades 9-12	2.6% of total enrolled	30					
Alcohol Use	Avg Category Ranking	23					
Binge Drinking among Adults	10.9%	11					
Heavy Use of Alcohol among Adults	4.7%	17					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	43%	34					
Alcohol Related Hospitalization and ED Rates	1,102 per 100,000	30					
Tobacco Use	Avg Category Ranking	34					
Cigarette Use among Adults	25.3% smoke every day	36					
Smokeless Tobacco Use among Adults	4.7% use every day	32					
Opioid Use	Avg Category Ranking	28					
Opioid Overdose Related Deaths	15.9 per 100,000	32					
Opioid Overdose Related Hospitalization and ED Rates	126.9 per 100,000	24					
Infectious Disease	Avg Category Ranking	35					
HIV Rate	19 per 100,000**	29					
Hepatitis C Rate	189 per 100,000	41					
Treatment Services	Avg Category Ranking	22					
Injection Use (current or past use)	2.1%	11					
Tobacco Use (current use)	55.7%	19					
Primary or Secondary Diagnosis							
Alcohol	88.6%	46					
Marijuana	47.1%	17					
Opiates	12.9%	13					
Tobacco	36.4%	29					
Cocaine	13.6%	9					
Amphetamines	7.9%	19					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

CHESTERFIELD COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	16					
Low Birth Weight Status	10.5% of live births	23					
Poor Mental Health Days	4.9 (days/month)**	39					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	1,500 per 100,000**	1					
Socio-Economic	Avg Category Ranking	32					
Unemployment Rate	4.4% of labor force**	16					
Median Household Income	\$39,869	31					
K-12 Free and Reduced Lunch Eligible	99.3% eligible	38					
Dropouts, Annually in Grades 9-12	3.5% of total enrolled	42					
Alcohol Use	Avg Category Ranking	15					
Binge Drinking among Adults	11.8%	15					
Heavy Use of Alcohol among Adults	4.0%	11					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	37%	26					
Alcohol Related Hospitalization and ED Rates	642 per 100,000	6					
Tobacco Use	Avg Category Ranking	44					
Cigarette Use among Adults	32.2% smoke every day	46					
Smokeless Tobacco Use among Adults	6.2% use every day	42					
Opioid Use	Avg Category Ranking	11					
Opioid Overdose Related Deaths	6.8 per 100,000	16					
Opioid Overdose Related Hospitalization and ED Rates	71.8 per 100,000	6					
Infectious Disease	Avg Category Ranking	19					
HIV Rate	7 per 100,000**	5					
Hepatitis C Rate	144 per 100,000	32					
Treatment Services*	Avg Category Ranking	12					
Injection Use (current or past use)	3.6%	16					
Tobacco Use (current use)	36.5%	4					
Primary or Secondary Diagnosis							
Alcohol	43.7%	8					
Marijuana	40.4%	7					
Opiates	17.0%	29					
Tobacco	1.5%	2					
Cocaine	15.6%	19					
Amphetamines	7.8%	16					

*Treatment figures include Chesterfield, Kershaw, and Lee counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

CLARENDON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	22					
Low Birth Weight Status	10.3% of live births**	21					
Poor Mental Health Days	4.8 (days/month)**	34					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,800 per 100,000**	31					
Socio-Economic	Avg Category Ranking	29					
Unemployment Rate	6.0% of labor force**	36					
Median Household Income	\$34,541	39					
K-12 Free and Reduced Lunch Eligible	90.7% eligible	32					
Dropouts, Annually in Grades 9-12	0.8% of total enrolled**	7					
Alcohol Use	Avg Category Ranking	24					
Binge Drinking among Adults	14.4%	25					
Heavy Use of Alcohol among Adults	6.3%	31					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	30%	8					
Alcohol Related Hospitalization and ED Rates	1,145 per 100,000	32					
Tobacco Use	Avg Category Ranking	25					
Cigarette Use among Adults	21.9% smoke every day	29					
Smokeless Tobacco Use among Adults	3.8% use every day	21					
Opioid Use	Avg Category Ranking	20					
Opioid Overdose Related Deaths	6.5 per 100,000	15					
Opioid Overdose Related Hospitalization and ED Rates	132.1 per 100,000	25					
Infectious Disease	Avg Category Ranking	23					
HIV Rate	15 per 100,000	26					
Hepatitis C Rate	112 per 100,000	20					
Treatment Services	Avg Category Ranking	18					
Injection Use (current or past use)	2.5%	12					
Tobacco Use (current use)	52.6%	16					
Primary or Secondary Diagnosis							
Alcohol	52.4%	13					
Marijuana	44.9%	14					
Opiates	11.4%	8					
Tobacco	54.0%	41					
Cocaine	15.5%	18					
Amphetamines	7.2%	15					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

COLLETON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	27					
Low Birth Weight Status	11.1% of live births	31					
Poor Mental Health Days	4.8 (days/month)**	34					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	5,300 per 100,000	40					
Socio-Economic	Avg Category Ranking	36					
Unemployment Rate	4.8% of labor force	27					
Median Household Income	35760	36					
K-12 Free and Reduced Lunch Eligible	100% eligible**	45					
Dropouts, Annually in Grades 9-12	3.1% of total enrolled**	36					
Alcohol Use	Avg Category Ranking	37					
Binge Drinking among Adults	17.7%	42					
Heavy Use of Alcohol among Adults	8.0%	38					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	36%	21					
Alcohol Related Hospitalization and ED Rates	1,611 per 100,000	45					
Tobacco Use	Avg Category Ranking	38					
Cigarette Use among Adults	24% smoke every day	33					
Smokeless Tobacco Use among Adults	6.2% use every day	43					
Opioid Use	Avg Category Ranking	35					
Opioid Overdose Related Deaths	13.3 per 100,000	27					
Opioid Overdose Related Hospitalization and ED Rates	210.0 per 100,000	43					
Infectious Disease	Avg Category Ranking	19					
HIV Rate	11 per 100,000**	17					
Hepatitis C Rate	112 per 100,000	21					
Treatment Services	Avg Category Ranking	32					
Injection Use (current or past use)	3.6%	19					
Tobacco Use (current use)	69.9%	46					
Primary or Secondary Diagnosis							
Alcohol	57.5%	15					
Marijuana	60.5%	43					
Opiates	30.7%	40					
Tobacco	1.0%	1					
Cocaine	24.5%	43					
Amphetamines	17.0%	34					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

DARLINGTON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	25					
Low Birth Weight Status	12.6% of live births**	41					
Poor Mental Health Days	4.5 (days/month)**	21					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	4,100 per 100,000	35					
Socio-Economic	Avg Category Ranking	29					
Unemployment Rate	5.3% of labor force**	31					
Median Household Income	\$37,711	34					
K-12 Free and Reduced Lunch Eligible	99.9% eligible**	40					
Dropouts, Annually in Grades 9-12	1.1% of total enrolled**	10					
Alcohol Use	Avg Category Ranking	27					
Binge Drinking among Adults	13.5%	23					
Heavy Use of Alcohol among Adults	5.3%	24					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	39%	31					
Alcohol Related Hospitalization and ED Rates	1,090 per 100,000	29					
Tobacco Use	Avg Category Ranking	28					
Cigarette Use among Adults	21.7% smoke every day	25					
Smokeless Tobacco Use among Adults	4.6% use every day	30					
Opioid Use	Avg Category Ranking	35					
Opioid Overdose Related Deaths	12.9 per 100,000	26					
Opioid Overdose Related Hospitalization and ED Rates	223.0 per 100,000	44					
Infectious Disease	Avg Category Ranking	36					
HIV Rate	21 per 100,000**	33					
Hepatitis C Rate	171 per 100,000	39					
Treatment Services	Avg Category Ranking	17					
Injection Use (current or past use)	1.8%	8					
Tobacco Use (current use)	52.6%	15					
Primary or Secondary Diagnosis							
Alcohol	38.5%	5					
Marijuana	42.5%	11					
Opiates	26.8%	39					
Tobacco	17.5%	20					
Cocaine	14.5%	15					
Amphetamines	5.8%	13					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

DILLON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	32					
Low Birth Weight Status	11.8% of live births	34					
Poor Mental Health Days	5.1 (days/month)	46					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	8,100 per 100,000	46					
Socio-Economic	Avg Category Ranking	29					
Unemployment Rate	5.7% of labor force	35					
Median Household Income	\$31,761	43					
K-12 Free and Reduced Lunch Eligible	89.9% eligible	31					
Dropouts, Annually in Grades 9-12	0.7% of total enrolled	6					
Alcohol Use	Avg Category Ranking	14					
Binge Drinking among Adults	3.1%	1					
Heavy Use of Alcohol among Adults	3.8%	9					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	29%	7					
Alcohol Related Hospitalization and ED Rates	1,360 per 100,000	40					
Tobacco Use	Avg Category Ranking	35					
Cigarette Use among Adults	28.6 % smoke every day	43					
Smokeless Tobacco Use among Adults	4.3% use every day	27					
Opioid Use	Avg Category Ranking	31					
Opioid Overdose Related Deaths	16.1 per 100,000	33					
Opioid Overdose Related Hospitalization and ED Rates	143.5 per 100,000	29					
Infectious Disease	Avg Category Ranking	34					
HIV Rate	23 per 100,000	39					
Hepatitis C Rate	130 per 100,000	28					
Treatment Services*	Avg Category Ranking	10					
Injection Use (current or past use)	1.8%	5					
Tobacco Use (current use)	30.8%	1					
Primary or Secondary Diagnosis							
Alcohol	33.5%	1					
Marijuana	31.3%	1					
Opiates	40.4%	44					
Tobacco	6.7%	14					
Cocaine	12.0%	6					
Amphetamines	2.2%	5					

*Treatment figures include Dillon, Marion, and Marlboro counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standing in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

DORCHESTER COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	25					
Low Birth Weight Status	8.6% of live births	8					
Poor Mental Health Days	4.6 (days/month)**	24					
Adolescent Suicide Rate	7.1 per 100,000	44					
Rate of Juvenile Cases Referred	3,100 per 100,000	23					
Socio-Economic	Avg Category Ranking	4					
Unemployment Rate	3.8% of labor force**	5					
Median Household Income	\$58,167	4					
K-12 Free and Reduced Lunch Eligible	44.8% eligible	2					
Dropouts, Annually in Grades 9-12	0.6% of total enrolled	4					
Alcohol Use	Avg Category Ranking	27					
Binge Drinking among Adults	16.4%	38					
Heavy Use of Alcohol among Adults	5.5%	26					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	34%	15					
Alcohol Related Hospitalization and ED Rates	1,064 per 100,000	28					
Tobacco Use	Avg Category Ranking	9					
Cigarette Use among Adults	18.1% smoke every day	13					
Smokeless Tobacco Use among Adults	2.0% use every day	5					
Opioid Use	Avg Category Ranking	34					
Opioid Overdose Related Deaths	12.9 per 100,000	25					
Opioid Overdose Related Hospitalization and ED Rates	193.0 per 100,000	42					
Infectious Disease	Avg Category Ranking	19					
HIV Rate	13 per 100,000**	20					
Hepatitis C Rate	109 per 100,000	18					
Treatment Services	Avg Category Ranking	19					
Injection Use (current or past use)	4.3%	28					
Tobacco Use (current use)	43.5%	7					
Primary or Secondary Diagnosis							
Alcohol	61.7%	28					
Marijuana	43.3%	12					
Opiates	15.8%	26					
Tobacco	18.3%	21					
Cocaine	13.9%	10					
Amphetamines	10.5%	26					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

EDGEFIELD COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	4					
Low Birth Weight Status	8.8% of live births	9					
Poor Mental Health Days	4.0 (days/month)	2					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	1,800 per 100,000	5					
Socio-Economic	Avg Category Ranking	17					
Unemployment Rate	4.6% of labor force	22					
Median Household Income	\$46,816	15					
K-12 Free and Reduced Lunch Eligible	57.4% eligible	13					
Dropouts, Annually in Grades 9-12	1.8% of total enrolled	18					
Alcohol Use	Avg Category Ranking	10					
Binge Drinking among Adults	10.8%	10					
Heavy Use of Alcohol among Adults	4.8%	19					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	31%	10					
Alcohol Related Hospitalization and ED Rates	506 per 100,000	1					
Tobacco Use	Avg Category Ranking	18					
Cigarette Use among Adults	17.6% smoke every day	11					
Smokeless Tobacco Use among Adults	4.04% use every day	25					
Opioid Use	Avg Category Ranking	7					
Opioid Overdose Related Deaths	4.7 per 100,000	11					
Opioid Overdose Related Hospitalization and ED Rates	41.2 per 100,000	2					
Infectious Disease	Avg Category Ranking	26					
HIV Rate	8 per 100,000	8					
Hepatitis C Rate	221 per 100,000	43					
Treatment Services*	Avg Category Ranking	23					
Injection Use (current or past use)	7.3%	37					
Tobacco Use (current use)	60.1%	29					
Primary or Secondary Diagnosis							
Alcohol	58.9%	18					
Marijuana	56.4%	37					
Opiates	15.5%	23					
Tobacco	2.6%	6					
Cocaine	18.9%	30					
Amphetamines	20.5%	37					

*Treatment figures include all counties served by Cornerstone - GEMA (Abbeville, Edgefield, Greenwood, McCormick)

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

FAIRFIELD COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	19					
Low Birth Weight Status	12.2% of live births	37					
Poor Mental Health Days	4.6 (days/month)**	24					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,500 per 100,000**	13					
Socio-Economic	Avg Category Ranking	30					
Unemployment Rate	7.4% of labor force**	44					
Median Household Income	\$36,715	35					
K-12 Free and Reduced Lunch Eligible	98.6% eligible	37					
Dropouts, Annually in Grades 9-12	0.6% of total enrolled	5					
Alcohol Use	Avg Category Ranking	21					
Binge Drinking among Adults	10.7%	9					
Heavy Use of Alcohol among Adults	3.3%	5					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	45%	36					
Alcohol Related Hospitalization and ED Rates	1,203 per 100,000	33					
Tobacco Use	Avg Category Ranking	7					
Cigarette Use among Adults	16.8% smoke every day	7					
Smokeless Tobacco Use among Adults	2.1% use every day	6					
Opioid Use	Avg Category Ranking	27					
Opioid Overdose Related Deaths	13.8 per 100,000	28					
Opioid Overdose Related Hospitalization and ED Rates	132.7 per 100,000	26					
Infectious Disease	Avg Category Ranking	37					
HIV Rate	22 per 100,000**	37					
Hepatitis C Rate	150 per 100,000	36					
Treatment Services	Avg Category Ranking	27					
Injection Use (current or past use)	1.1%	4					
Tobacco Use (current use)	64.6%	40					
Primary or Secondary Diagnosis							
Alcohol	70.8%	37					
Marijuana	52.8%	29					
Opiates	3.9%	1					
Tobacco	63.5%	45					
Cocaine	19.1%	34					
Amphetamines	2.2%	5					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

FLORENCE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	26					
Low Birth Weight Status	12.5% of live births	40					
Poor Mental Health Days	4.7 (days/month)**	30					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	4,000 per 100,000	34					
Socio-Economic	Avg Category Ranking	22					
Unemployment Rate	4.6% of labor force**	22					
Median Household Income	\$45,044	19					
K-12 Free and Reduced Lunch Eligible	66.0% eligible	19					
Dropouts, Annually in Grades 9-12	2.4% of total enrolled**	27					
Alcohol Use	Avg Category Ranking	24					
Binge Drinking among Adults	14.8%	29					
Heavy Use of Alcohol among Adults	5.5%	25					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	28%	5					
Alcohol Related Hospitalization and ED Rates	1,231 per 100,000	36					
Tobacco Use	Avg Category Ranking	31					
Cigarette Use among Adults	25.4% smoke every day	37					
Smokeless Tobacco Use among Adults	4.0% use every day	24					
Opioid Use	Avg Category Ranking	39					
Opioid Overdose Related Deaths	20.2 per 100,000	37					
Opioid Overdose Related Hospitalization and ED Rates	183.3 per 100,000	40					
Infectious Disease	Avg Category Ranking	40					
HIV Rate	25 per 100,000**	40					
Hepatitis C Rate	174 per 100,000	40					
Treatment Services	Avg Category Ranking	30					
Injection Use (current or past use)	6.9%	35					
Tobacco Use (current use)	58.4%	25					
Primary or Secondary Diagnosis							
Alcohol	60.4%	25					
Marijuana	54.4%	31					
Opiates	24.3%	38					
Tobacco	34.5%	28					
Cocaine	25.5%	44					
Amphetamines	8.3%	20					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

GEORGETOWN COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	16					
Low Birth Weight Status	10.6% of live births	25					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,500 per 100,000**	27					
Socio-Economic	Avg Category Ranking	21					
Unemployment Rate	5.5% of labor force	34					
Median Household Income	\$47,842	11					
K-12 Free and Reduced Lunch Eligible	77.8% eligible	28					
Dropouts, Annually in Grades 9-12	1.2% of total enrolled	12					
Alcohol Use	Avg Category Ranking	31					
Binge Drinking among Adults	16.2%	37					
Heavy Use of Alcohol among Adults	9.7%	43					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	28%	5					
Alcohol Related Hospitalization and ED Rates	1,289 per 100,000	38					
Tobacco Use	Avg Category Ranking	22					
Cigarette Use among Adults	21.0% smoke every day	24					
Smokeless Tobacco Use among Adults	3.7% use every day	19					
Opioid Use	Avg Category Ranking	46					
Opioid Overdose Related Deaths	27.8 per 100,000	46					
Opioid Overdose Related Hospitalization and ED Rates	329.5 per 100,000	46					
Infectious Disease	Avg Category Ranking	27					
HIV Rate	10 per 100,000**	15					
Hepatitis C Rate	170 per 100,000	38					
Treatment Services	Avg Category Ranking	16					
Injection Use (current or past use)	11.2%	43					
Tobacco Use (current use)	53.1%	17					
Primary or Secondary Diagnosis							
Alcohol	55.2%	14					
Marijuana	44.6%	13					
Opiates	16.9%	28					
Tobacco	3.2%	10					
Cocaine	16.5%	26					
Amphetamines	2.1%	4					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

GREENVILLE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	15					
Low Birth Weight Status	8.2% of live births**	1					
Poor Mental Health Days	4.2 (days/month)**	4					
Adolescent Suicide Rate	1.2 per 100,000	38					
Rate of Juvenile Cases Referred	2,700 per 100,000**	17					
Socio-Economic	Avg Category Ranking	12					
Unemployment Rate	3.7% of labor force	4					
Median Household Income	\$55,452	7					
K-12 Free and Reduced Lunch Eligible	47.6% eligible	5					
Dropouts, Annually in Grades 9-12	2.8% of total enrolled	32					
Alcohol Use	Avg Category Ranking	20					
Binge Drinking among Adults	12.6%	17					
Heavy Use of Alcohol among Adults	4.9%	22					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	37%	26					
Alcohol Related Hospitalization and ED Rates	781 per 100,000	14					
Tobacco Use	Avg Category Ranking	10					
Cigarette Use among Adults	15.6% smoke every day	6					
Smokeless Tobacco Use among Adults	3.3% use every day	13					
Opioid Use	Avg Category Ranking	25					
Opioid Overdose Related Deaths	14.7 per 100,000	29					
Opioid Overdose Related Hospitalization and ED Rates	124.3 per 100,000	21					
Infectious Disease	Avg Category Ranking	28					
HIV Rate	13 per 100,000**	20					
Hepatitis C Rate	149 per 100,000	35					
Treatment Services	Avg Category Ranking	22					
Injection Use (current or past use)	3.1%	44					
Tobacco Use (current use)	62.4%	32					
Primary or Secondary Diagnosis							
Alcohol	58.8%	16					
Marijuana	46.5%	15					
Opiates	24.1%	37					
Tobacco	2.0%	5					
Cocaine	15.4%	17					
Amphetamines	17.8%	35					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

GREENWOOD COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	23					
Low Birth Weight Status	10.3% of live births**	21					
Poor Mental Health Days	4.7 (days/month)**	30					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	5,100 per 100,000	38					
Socio-Economic	Avg Category Ranking	22					
Unemployment Rate	4.5% of labor force**	19					
Median Household Income	\$40,599	28					
K-12 Free and Reduced Lunch Eligible	71.6% eligible	23					
Dropouts, Annually in Grades 9-12	1.7% of total enrolled	17					
Alcohol Use	Avg Category Ranking	36					
Binge Drinking among Adults	15.3%	33					
Heavy Use of Alcohol among Adults	5.7%	27					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	47%	40					
Alcohol Related Hospitalization and ED Rates	1,480 per 100,000	43					
Tobacco Use	Avg Category Ranking	24					
Cigarette Use among Adults	22.8% smoke every day	31					
Smokeless Tobacco Use among Adults	3.4% use every day	16					
Opioid Use	Avg Category Ranking	40					
Opioid Overdose Related Deaths	22.5 per 100,000	41					
Opioid Overdose Related Hospitalization and ED Rates	169.1 per 100,000	38					
Infectious Disease	Avg Category Ranking	28					
HIV Rate	9 per 100,000**	13					
Hepatitis C Rate	218 per 100,000	42					
Treatment Services*	Avg Category Ranking	26					
Injection Use (current or past use)	7.3%	38					
Tobacco Use (current use)	60.1%	30					
Primary or Secondary Diagnosis							
Alcohol	58.9%	18					
Marijuana	56.4%	37					
Opiates	15.5%	23					
Tobacco	2.6%	6					
Cocaine	18.9%	30					
Amphetamines	20.5%	37					

*Treatment figures include all counties served by Cornerstone - GEMA (Abbeville, Edgefield, Greenwood, McCormick)

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

HAMPTON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	25					
Low Birth Weight Status	13.5% of live births	46					
Poor Mental Health Days	4.3 (days/month)**	9					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	6,600 per 100,000**	43					
Socio-Economic	Avg Category Ranking	23					
Unemployment Rate	4.5% of labor force**	19					
Median Household Income	\$35,667	37					
K-12 Free and Reduced Lunch Eligible	86.5% eligible	30					
Dropouts, Annually in Grades 9-12	0.8% of total enrolled**	7					
Alcohol Use	Avg Category Ranking	26					
Binge Drinking among Adults	15.5%	35					
Heavy Use of Alcohol among Adults	3.9%	10					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	36%	21					
Alcohol Related Hospitalization and ED Rates	1,281 per 100,000	37					
Tobacco Use	Avg Category Ranking	18					
Cigarette Use among Adults	24.2% smoke every day	34					
Smokeless Tobacco Use among Adults	1.8% use every day	2					
Opioid Use	Avg Category Ranking	17					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	153.0 per 100,000	32					
Infectious Disease	Avg Category Ranking	24					
HIV Rate	25 per 100,000**	40					
Hepatitis C Rate	71 per 100,000	8					
Treatment Services*	Avg Category Ranking	22					
Injection Use (current or past use)	0.8%	2					
Tobacco Use (current use)	66.9%	44					
Primary or Secondary Diagnosis							
Alcohol	72.0%	38					
Marijuana	50.8%	22					
Opiates	12.7%	10					
Tobacco	36.4%	29					
Cocaine	14.4%	12					
Amphetamines	1.7%	1					

*Treatment figures include Allendale, Hampton, and Jasper counties, all served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standing in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

HORRY COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	18					
Low Birth Weight Status	9.8% of live births	17					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	6,000 per 100,000	41					
Socio-Economic	Avg Category Ranking	21					
Unemployment Rate	5.0% of labor force	29					
Median Household Income	\$45,608	18					
K-12 Free and Reduced Lunch Eligible	57.1% eligible	12					
Dropouts, Annually in Grades 9-12	2.2% of total enrolled**	25					
Alcohol Use	Avg Category Ranking	31					
Binge Drinking among Adults	15.4%	34					
Heavy Use of Alcohol among Adults	8.2%	39					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	30%	8					
Alcohol Related Hospitalization and ED Rates	1,398 per 100,000	41					
Tobacco Use	Avg Category Ranking	16					
Cigarette Use among Adults	20.9% smoke every day	23					
Smokeless Tobacco Use among Adults	2.9% use every day	9					
Opioid Use	Avg Category Ranking	45					
Opioid Overdose Related Deaths	27.0 per 100,000	44					
Opioid Overdose Related Hospitalization and ED Rates	240.0 per 100,000	45					
Infectious Disease	Avg Category Ranking	42					
HIV Rate	25 per 100,000**	40					
Hepatitis C Rate	223 per 100,000	44					
Treatment Services	Avg Category Ranking	29					
Injection Use (current or past use)	7.7%	40					
Tobacco Use (current use)	57.3%	24					
Primary or Secondary Diagnosis							
Alcohol	61.3%	27					
Marijuana	51.3%	26					
Opiates	34.9%	43					
Tobacco	48.0%	39					
Cocaine	19.8%	35					
Amphetamines	5.7%	12					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

JASPER COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	28					
Low Birth Weight Status	10.8% of live births**	26					
Poor Mental Health Days	4.9 (days/month)**	39					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	6,900 per 100,000	45					
Socio-Economic	Avg Category Ranking	17					
Unemployment Rate	3.6% of labor force**	2					
Median Household Income	\$41,902	24					
K-12 Free and Reduced Lunch Eligible	92.5% eligible	33					
Dropouts, Annually in Grades 9-12	1.0% of total enrolled	9					
Alcohol Use	Avg Category Ranking	10					
Binge Drinking among Adults	11.1%	12					
Heavy Use of Alcohol among Adults	4.3%	12					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	26%	4					
Alcohol Related Hospitalization and ED Rates	745 per 100,000	13					
Tobacco Use	Avg Category Ranking	15					
Cigarette Use among Adults	20.6% smoke every day	22					
Smokeless Tobacco Use among Adults	2.3% use every day	7					
Opioid Use	Avg Category Ranking	19					
Opioid Overdose Related Deaths	12.5 per 100,000	23					
Opioid Overdose Related Hospitalization and ED Rates	91.4 per 100,000	15					
Infectious Disease	Avg Category Ranking	29					
HIV Rate	21 per 100,000**	33					
Hepatitis C Rate	116 per 100,000	24					
Treatment Services*	Avg Category Ranking	23					
Injection Use (current or past use)	0.8%	3					
Tobacco Use (current use)	66.9%	45					
Primary or Secondary Diagnosis							
Alcohol	72.0%	38					
Marijuana	50.8%	22					
Opiates	12.7%	10					
Tobacco	36.4%	32					
Cocaine	14.4%	12					
Amphetamines	1.7%	1					

*Treatment figures include Allendale, Hampton, and Jasper counties, all served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standing in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

KERSHAW COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	11					
Low Birth Weight Status	9.2% of live births**	13					
Poor Mental Health Days	4.5 (days/month)**	21					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,000 per 100,000	7					
Socio-Economic	Avg Category Ranking	18					
Unemployment Rate	4.5% of labor force**	19					
Median Household Income	\$48,824	10					
K-12 Free and Reduced Lunch Eligible	55.7% eligible	10					
Dropouts, Annually in Grades 9-12	2.8% of total enrolled	33					
Alcohol Use	Avg Category Ranking	27					
Binge Drinking among Adults	8.1%	4					
Heavy Use of Alcohol among Adults	9.8%	44					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	48%	43					
Alcohol Related Hospitalization and ED Rates	864 per 100,000	18					
Tobacco Use	Avg Category Ranking	41					
Cigarette Use among Adults	26.9% smoke every day	41					
Smokeless Tobacco Use among Adults	5.4% use every day	40					
Opioid Use	Avg Category Ranking	18					
Opioid Overdose Related Deaths	6.4 per 100,000	14					
Opioid Overdose Related Hospitalization and ED Rates	124.5 per 100,000	22					
Infectious Disease	Avg Category Ranking	32					
HIV Rate	16 per 100,000	27					
Hepatitis C Rate	162 per 100,000	37					
Treatment Services*	Avg Category Ranking	12					
Injection Use (current or past use)	3.6%	17					
Tobacco Use (current use)	36.5%	5					
Primary or Secondary Diagnosis							
Alcohol	43.7%	8					
Marijuana	40.4%	7					
Opiates	17.0%	29					
Tobacco	1.5%	2					
Cocaine	15.6%	19					
Amphetamines	7.8%	16					

*Treatment figures include Chesterfield, Kershaw, and Lee counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

LANCASTER COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	12					
Low Birth Weight Status	10.2% of live births**	18					
Poor Mental Health Days	4.5 (days/month)**	21					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,300 per 100,000**	9					
Socio-Economic	Avg Category Ranking	19					
Unemployment Rate	4.6% of labor force**	22					
Median Household Income	\$53,421	8					
K-12 Free and Reduced Lunch Eligible	52.7% eligible	8					
Dropouts, Annually in Grades 9-12	3.1% of total enrolled**	36					
Alcohol Use	Avg Category Ranking	13					
Binge Drinking among Adults	10.3%	8					
Heavy Use of Alcohol among Adults	3.3%	6					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	37%	26					
Alcohol Related Hospitalization and ED Rates	738 per 100,000	11					
Tobacco Use	Avg Category Ranking	37					
Cigarette Use among Adults	23.7% smoke every day	32					
Smokeless Tobacco Use among Adults	5.6% use every day	41					
Opioid Use	Avg Category Ranking	32					
Opioid Overdose Related Deaths	27.6 per 100,000	45					
Opioid Overdose Related Hospitalization and ED Rates	107.0 per 100,000	18					
Infectious Disease	Avg Category Ranking	22					
HIV Rate	9 per 100,000**	13					
Hepatitis C Rate	141 per 100,000	31					
Treatment Services	Avg Category Ranking	23					
Injection Use (current or past use)	3.1%	14					
Tobacco Use (current use)	62.4%	37					
Primary or Secondary Diagnosis							
Alcohol	58.8%	16					
Marijuana	46.7%	16					
Opiates	19.0%	33					
Tobacco	4.0%	12					
Cocaine	20.0%	36					
Amphetamines	7.1%	14					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

LAURENS COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	18					
Low Birth Weight Status	10.2% of live births**	18					
Poor Mental Health Days	4.8 (days/month)**	34					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,700 per 100,000**	17					
Socio-Economic	Avg Category Ranking	27					
Unemployment Rate	4.4% of labor force**	16					
Median Household Income	\$43,191	22					
K-12 Free and Reduced Lunch Eligible	73.1% eligible	26					
Dropouts, Annually in Grades 9-12	3.9% of total enrolled	44					
Alcohol Use	Avg Category Ranking	17					
Binge Drinking among Adults	11.2%	13					
Heavy Use of Alcohol among Adults	4.6%**	15					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	35%	17					
Alcohol Related Hospitalization and ED Rates	953 per 100,000	24					
Tobacco Use	Avg Category Ranking	36					
Cigarette Use among Adults	30.1% smoke every day	44					
Smokeless Tobacco Use among Adults	4.3% use every day	28					
Opioid Use	Avg Category Ranking	29					
Opioid Overdose Related Deaths	8.9 per 100,000	19					
Opioid Overdose Related Hospitalization and ED Rates	170.5 per 100,000	39					
Infectious Disease	Avg Category Ranking	23					
HIV Rate	13 per 100,000**	20					
Hepatitis C Rate	123 per 100,000	26					
Treatment Services	Avg Category Ranking	33					
Injection Use (current or past use)	5.4%	32					
Tobacco Use (current use)	61.4%	36					
Primary or Secondary Diagnosis							
Alcohol	62.7%	28					
Marijuana	58.3%	41					
Opiates	17.4%	32					
Tobacco	30.2%	25					
Cocaine	16.1%	24					
Amphetamines	24.8%	43					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

LEE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	23					
Low Birth Weight Status	12.6% of live births**	41					
Poor Mental Health Days	4.9 (days/month)**	39					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,300 per 100,000**	9					
Socio-Economic	Avg Category Ranking	37					
Unemployment Rate	6.0% of labor force**	36					
Median Household Income	\$32,015	42					
K-12 Free and Reduced Lunch Eligible	92.6% eligible	34					
Dropouts, Annually in Grades 9-12	3.1% of total enrolled**	36					
Alcohol Use	Avg Category Ranking	27					
Binge Drinking among Adults	13.9%	24					
Heavy Use of Alcohol among Adults	2.0%	3					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	44%	35					
Alcohol Related Hospitalization and ED Rates	1,608 per 100,000	44					
Tobacco Use	Avg Category Ranking	22					
Cigarette Use among Adults	26.3% smoke every day	39					
Smokeless Tobacco Use among Adults	1.9% use every day	4					
Opioid Use	Avg Category Ranking	25					
Opioid Overdose Related Deaths	6.2 per 100,000	13					
Opioid Overdose Related Hospitalization and ED Rates	161.4 per 100,000	37					
Infectious Disease	Avg Category Ranking	28					
HIV Rate	34 per 100,000**	45					
Hepatitis C Rate	75 per 100,000	10					
Treatment Services*	Avg Category Ranking	12					
Injection Use (current or past use)	3.6%	18					
Tobacco Use (current use)	36.5%	6					
Primary or Secondary Diagnosis							
Alcohol	43.7%	8					
Marijuana	40.4%	7					
Opiates	17.0%	29					
Tobacco	1.5%	2					
Cocaine	15.6%	19					
Amphetamines	7.8%	16					

*Treatment figures include Chesterfield, Kershaw, and Lee counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

LEXINGTON COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	5					
Low Birth Weight Status	8.4% of live births**	4					
Poor Mental Health Days	4.2 (days/month)**	4					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	2,300 per 100,000**	9					
Socio-Economic	Avg Category Ranking	6					
Unemployment Rate	3.6% of labor force**	2					
Median Household Income	\$57,623	5					
K-12 Free and Reduced Lunch Eligible	48.5% eligible	6					
Dropouts, Annually in Grades 9-12	1.1% of total enrolled**	10					
Alcohol Use	Avg Category Ranking	39					
Binge Drinking among Adults	20.5%	45					
Heavy Use of Alcohol among Adults	9.9%	45					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	49%	45					
Alcohol Related Hospitalization and ED Rates	877 per 100,000	19					
Tobacco Use	Avg Category Ranking	28					
Cigarette Use among Adults	18.5% smoke every day	16					
Smokeless Tobacco Use among Adults	5.4% use every day	39					
Opioid Use	Avg Category Ranking	22					
Opioid Overdose Related Deaths	12.7 per 100,000	24					
Opioid Overdose Related Hospitalization and ED Rates	113.5 per 100,000	19					
Infectious Disease	Avg Category Ranking	23					
HIV Rate	19 per 100,000	28					
Hepatitis C Rate	108 per 100,000	17					
Treatment Services*	Avg Category Ranking	29					
Injection Use (current or past use)	9.7%	41					
Tobacco Use (current use)	61.2%	33					
Primary or Secondary Diagnosis							
Alcohol	63.1%	30					
Marijuana	49.7%	20					
Opiates	21.9%	34					
Tobacco	18.0%	21					
Cocaine	22.8%	37					
Amphetamines	13.0%	30					

*Treatment figures include all counties served by LRADAC (Lexington and Richland)

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

MARION COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	32					
Low Birth Weight Status	12.3% of live births**	38					
Poor Mental Health Days	5.0 (days/month)	45					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	6,100 per 100,000	42					
Socio-Economic	Avg Category Ranking	30					
Unemployment Rate	7.4% of labor force**	44					
Median Household Income	\$31,556	44					
K-12 Free and Reduced Lunch Eligible	62.3% eligible	17					
Dropouts, Annually in Grades 9-12	1.6% of total enrolled	16					
Alcohol Use	Avg Category Ranking	25					
Binge Drinking among Adults	14.6%	26					
Heavy Use of Alcohol among Adults	4.4%	13					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	33%	14					
Alcohol Related Hospitalization and ED Rates	1,620 per 100,000	46					
Tobacco Use	Avg Category Ranking	20					
Cigarette Use among Adults	22.1% smoke every day	30					
Smokeless Tobacco Use among Adults	3.0% use every day	10					
Opioid Use	Avg Category Ranking	26					
Opioid Overdose Related Deaths	7.3 per 100,000	17					
Opioid Overdose Related Hospitalization and ED Rates	156.6 per 100,000	34					
Infectious Disease	Avg Category Ranking	23					
HIV Rate	19 per 100,000**	29					
Hepatitis C Rate	106 per 100,000	16					
Treatment Services*	Avg Category Ranking	10					
Injection Use (current or past use)	1.8%	6					
Tobacco Use (current use)	30.8%	2					
Primary or Secondary Diagnosis							
Alcohol	33.5%	1					
Marijuana	31.3%	1					
Opiates	40.4%	44					
Tobacco	6.7%	14					
Cocaine	12.0%	6					
Amphetamines	2.2%	5					

*Treatment figures include Dillon, Marion, and Marlboro counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

MARLBORO COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	26					
Low Birth Weight Status	12.7% of live births	43					
Poor Mental Health Days	4.8 (days/month)**	34					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,500 per 100,000**	27					
Socio-Economic	Avg Category Ranking	42					
Unemployment Rate	6.6% of labor force	41					
Median Household Income	\$32,991	40					
K-12 Free and Reduced Lunch Eligible	99.9% eligible**	40					
Dropouts, Annually in Grades 9-12	4.3% of total enrolled	45					
Alcohol Use	Avg Category Ranking	7					
Binge Drinking among Adults	9.3%	6					
Heavy Use of Alcohol among Adults	4.8%	20					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	3%	1					
Alcohol Related Hospitalization and ED Rates	522 per 100,000	2					
Tobacco Use	Avg Category Ranking	31					
Cigarette Use among Adults	28.2% smoke every day	42					
Smokeless Tobacco Use among Adults	3.8% use every day	20					
Opioid Use	Avg Category Ranking	5					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	85.7 per 100,000	9					
Infectious Disease	Avg Category Ranking	37					
HIV Rate	19 per 100,000**	29					
Hepatitis C Rate	272per 100,000	45					
Treatment Services*	Avg Category Ranking	11					
Injection Use (current or past use)	1.8%	7					
Tobacco Use (current use)	30.8%	3					
Primary or Secondary Diagnosis							
Alcohol	33.5%	1					
Marijuana	31.3%	1					
Opiates	40.4%	44					
Tobacco	6.7%	14					
Cocaine	12.0%	6					
Amphetamines	2.2%	5					

*Treatment figures include Dillon, Marion, and Marlboro counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

MCCORMICK COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	17					
Low Birth Weight Status	10.9% of live births**	28					
Poor Mental Health Days	4.2 (days/month)**	4					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	4,400 per 100,000	36					
Socio-Economic	Avg Category Ranking	21					
Unemployment Rate	4.6% of labor force**	22					
Median Household Income	\$43,262	21					
K-12 Free and Reduced Lunch Eligible	97.5% eligible	36					
Dropouts, Annually in Grades 9-12	0.5% of total enrolled	3					
Alcohol Use	Avg Category Ranking	26					
Binge Drinking among Adults	12.7%	19					
Heavy Use of Alcohol among Adults	5.9%	29					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	50%	46					
Alcohol Related Hospitalization and ED Rates	712 per 100,000	9					
Tobacco Use	Avg Category Ranking	15					
Cigarette Use among Adults	14.6% smoke every day	4					
Smokeless Tobacco Use among Adults	4.1% use every day	26					
Opioid Use	Avg Category Ranking	5					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	83.8 per 100,000	8					
Infectious Disease	Avg Category Ranking	19					
HIV Rate	21 per 100,000**	33					
Hepatitis C Rate	52.38 per 100,000	4					
Treatment Services*	Avg Category Ranking	26					
Injection Use (current or past use)	7.3%	39					
Tobacco Use (current use)	60.1%	31					
Primary or Secondary Diagnosis							
Alcohol	58.9%	18					
Marijuana	56.4%	37					
Opiates	15.5%	23					
Tobacco	2.6%	6					
Cocaine	18.9%	30					
Amphetamines	20.5%	37					

*Treatment figures include all counties served by Cornerstone - GEMA (Abbeville, Edgefield, Greenwood, McCormick)

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

NEWBERRY COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	21					
Low Birth Weight Status	12.0% of live births	35					
Poor Mental Health Days	4.3 (days/month)**	9					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	4,800 per 100,000	37					
Socio-Economic	Avg Category Ranking	21					
Unemployment Rate	4.2% of labor force	14					
Median Household Income	\$42,128	23					
K-12 Free and Reduced Lunch Eligible	67.1% eligible	20					
Dropouts, Annually in Grades 9-12	2.2% of total enrolled**	25					
Alcohol Use	Avg Category Ranking	29					
Binge Drinking among Adults	14.6%	27					
Heavy Use of Alcohol among Adults	5.8%	28					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	46%	37					
Alcohol Related Hospitalization and ED Rates	1,021 per 100,000	25					
Tobacco Use	Avg Category Ranking	26					
Cigarette Use among Adults	24.8% smoke every day	35					
Smokeless Tobacco Use among Adults	3.6% use every day	17					
Opioid Use	Avg Category Ranking	9					
Opioid Overdose Related Deaths	0 per 100,000**	1					
Opioid Overdose Related Hospitalization and ED Rates	96.1 per 100,000	17					
Infectious Disease	Avg Category Ranking	15					
HIV Rate	11 per 100,000**	17					
Hepatitis C Rate	78 per 100,000	12					
Treatment Services*	Avg Category Ranking	12					
Injection Use (current or past use)	1.9%	9					
Tobacco Use (current use)	48.6%	10					
Primary or Secondary Diagnosis							
Alcohol	51.9%	11					
Marijuana	35.8%	4					
Opiates	5.6%	2					
Tobacco	34.4%	26					
Cocaine	10.5%	4					
Amphetamines	10.9%	27					

*Treatment figures include Newberry and Saluda counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

OCONEE COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	5					
Low Birth Weight Status	8.2% of live births**	1					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	1,700 per 100,000	4					
Socio-Economic	Avg Category Ranking	19					
Unemployment Rate	4.4% of labor force**	16					
Median Household Income	\$46,996	14					
K-12 Free and Reduced Lunch Eligible	54.2% eligible	9					
Dropouts, Annually in Grades 9-12	2.9% of total enrolled	35					
Alcohol Use	Avg Category Ranking	11					
Binge Drinking among Adults	10.3%	7					
Heavy Use of Alcohol among Adults	4.7%	18					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	32%	12					
Alcohol Related Hospitalization and ED Rates	669 per 100,000	8					
Tobacco Use	Avg Category Ranking	24					
Cigarette Use among Adults	18.3% smoke every day	14					
Smokeless Tobacco Use among Adults	4.9% use every day	34					
Opioid Use	Avg Category Ranking	35					
Opioid Overdose Related Deaths	22.8 per 100,000	42					
Opioid Overdose Related Hospitalization and ED Rates	133.3 per 100,000	27					
Infectious Disease	Avg Category Ranking	12					
HIV Rate	8 per 100,000**	8					
Hepatitis C Rate	105 per 100,000	15					
Treatment Services*	Avg Category Ranking	38					
Injection Use (current or past use)	3.7%	21					
Tobacco Use (current use)	63.2%	39					
Primary or Secondary Diagnosis							
Alcohol	74.0%	43					
Marijuana	64.6%	44					
Opiates	14.9%	21					
Tobacco	62.0%	43					
Cocaine	17.9%	28					
Amphetamines	32.2%	45					

*Treatment figures include Anderson and Oconee counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

ORANGEBURG COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	29					
Low Birth Weight Status	12.8% of live births	44					
Poor Mental Health Days	4.9 (days/month)**	39					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,600 per 100,000	30					
Socio-Economic	Avg Category Ranking	38					
Unemployment Rate	7.1% of labor force	43					
Median Household Income	\$34,557	38					
K-12 Free and Reduced Lunch Eligible	99.9% eligible**	40					
Dropouts, Annually in Grades 9-12	2.7% of total enrolled	31					
Alcohol Use	Avg Category Ranking	27					
Binge Drinking among Adults	14.7%	28					
Heavy Use of Alcohol among Adults	6.3%	32					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	35%	17					
Alcohol Related Hospitalization and ED Rates	1,109 per 100,000	31					
Tobacco Use	Avg Category Ranking	18					
Cigarette Use among Adults	21.9% smoke every day	28					
Smokeless Tobacco Use among Adults	2.3% use every day	8					
Opioid Use	Avg Category Ranking	12					
Opioid Overdose Related Deaths	4.6 per 100,000	10					
Opioid Overdose Related Hospitalization and ED Rates	90.3 per 100,000	13					
Infectious Disease	Avg Category Ranking	29					
HIV Rate	33 per 100,000	44					
Hepatitis C Rate	86 per 100,000	13					
Treatment Services*	Avg Category Ranking	26					
Injection Use (current or past use)	3.7%	24					
Tobacco Use (current use)	52.6%	14					
Primary or Secondary Diagnosis							
Alcohol	59.5%	22					
Marijuana	54.8%	32					
Opiates	13.9%	15					
Tobacco	44.4%	35					
Cocaine	23.3%	40					
Amphetamines	10.2%	23					

*Treatment figures include Bamberg, Calhoun, and Orangeburg counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

PICKENS COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	19					
Low Birth Weight Status	8.2% of live births**	1					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	5 per 100,000	43					
Rate of Juvenile Cases Referred	2,900 per 100,000**	20					
Socio-Economic	Avg Category Ranking	18					
Unemployment Rate	4.1% of labor force**	12					
Median Household Income	\$46,154	16					
K-12 Free and Reduced Lunch Eligible	47.1% eligible	4					
Dropouts, Annually in Grades 9-12	3.3% of total enrolled**	40					
Alcohol Use	Avg Category Ranking	16					
Binge Drinking among Adults	16.2%	36					
Heavy Use of Alcohol among Adults	3.7%	7					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	34%	15					
Alcohol Related Hospitalization and ED Rates	643 per 100,000	7					
Tobacco Use	Avg Category Ranking	36					
Cigarette Use among Adults	21.8% smoke every day	26					
Smokeless Tobacco Use among Adults	9.6% use every day	46					
Opioid Use	Avg Category Ranking	32					
Opioid Overdose Related Deaths	16.7 per 100,000	34					
Opioid Overdose Related Hospitalization and ED Rates	147.4 per 100,000	30					
Infectious Disease	Avg Category Ranking	13					
HIV Rate	4 per 100,000**	3					
Hepatitis C Rate	115 per 100,000	22					
Treatment Services	Avg Category Ranking	17					
Injection Use (current or past use)	5.6%	33					
Tobacco Use (current use)	48.1%	9					
Primary or Secondary Diagnosis							
Alcohol	34.0%	4					
Marijuana	39.2%	6					
Opiates	14.5%	19					
Tobacco	44.3%	34					
Cocaine	9.5%	3					
Amphetamines	24.0%	42					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

RICHLAND COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	12					
Low Birth Weight Status	11.0% of live births	30	[Dark teal bar]				
Poor Mental Health Days	4.4 (days/month)**	12	[Light green bar]				
Adolescent Suicide Rate	0 per 100,000**	1	[Light green bar]				
Rate of Juvenile Cases Referred	1,900 per 100,000	6	[Light green bar]				
Socio-Economic	Avg Category Ranking	15					
Unemployment Rate	4.3% of labor force	15	[Light green bar]				
Median Household Income	\$51,973	9	[Light green bar]				
K-12 Free and Reduced Lunch Eligible	64.0% eligible	18	[Light green bar]				
Dropouts, Annually in Grades 9-12	1.8% of total enrolled**	18	[Light green bar]				
Alcohol Use	Avg Category Ranking	38					
Binge Drinking among Adults	18.1%	43	[Dark teal bar]				
Heavy Use of Alcohol among Adults	7.7%	37	[Dark teal bar]				
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	46%	37	[Dark teal bar]				
Alcohol Related Hospitalization and ED Rates	1,207 per 100,000	34	[Dark teal bar]				
Tobacco Use	Avg Category Ranking	6					
Cigarette Use among Adults	17.4% smoke every day	9	[Light green bar]				
Smokeless Tobacco Use among Adults	1.9% use every day	3	[Light green bar]				
Opioid Use	Avg Category Ranking	25					
Opioid Overdose Related Deaths	17.9 per 100,000	36	[Dark teal bar]				
Opioid Overdose Related Hospitalization and ED Rates	91.4 per 100,000	14	[Light green bar]				
Infectious Disease	Avg Category Ranking	39					
HIV Rate	30 per 100,000	43	[Dark teal bar]				
Hepatitis C Rate	145 per 100,000	34	[Dark teal bar]				
Treatment Services*	Avg Category Ranking	29					
Injection Use (current or past use)	9.7%	42	[Dark teal bar]				
Tobacco Use (current use)	61.2%	34	[Dark teal bar]				
Primary or Secondary Diagnosis							
Alcohol	63.1%	30	[Dark teal bar]				
Marijuana	49.7%	20	[Dark teal bar]				
Opiates	21.9%	34	[Dark teal bar]				
Tobacco	18.0%	21	[Dark teal bar]				
Cocaine	22.8%	37	[Dark teal bar]				
Amphetamines	13.0%	30	[Dark teal bar]				

*Treatment figures include all counties served by LRADAC (Lexington and Richland)

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

SALUDA COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	14					
Low Birth Weight Status	9.7% of live births	16					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	3,300 per 100,000	25					
Socio-Economic	Avg Category Ranking	21					
Unemployment Rate	3.9% of labor force**	7					
Median Household Income	\$43,685	20					
K-12 Free and Reduced Lunch Eligible	77.1% eligible	27					
Dropouts, Annually in Grades 9-12	2.5% of total enrolled	29					
Alcohol Use	Avg Category Ranking	18					
Binge Drinking among Adults	11.9%	16					
Heavy Use of Alcohol among Adults	7.3%	35					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	35%	17					
Alcohol Related Hospitalization and ED Rates	606 per 100,000	5					
Tobacco Use	Avg Category Ranking	19					
Cigarette Use among Adults	13.6% smoke every day	2					
Smokeless Tobacco Use among Adults	5.0% use every day	35					
Opioid Use	Avg Category Ranking	7					
Opioid Overdose Related Deaths	3.0 per 100,000	9					
Opioid Overdose Related Hospitalization and ED Rates	58.7 per 100,000	4					
Infectious Disease	Avg Category Ranking	8					
HIV Rate	10 per 100,000**	15					
Hepatitis C Rate	34 per 100,000	1					
Treatment Services*	Avg Category Ranking	12					
Injection Use (current or past use)	1.9%	10					
Tobacco Use (current use)	48.6%	11					
Primary or Secondary Diagnosis							
Alcohol	51.9%	11					
Marijuana	35.8%	4					
Opiates	5.6%	2					
Tobacco	34.4%	26					
Cocaine	10.5%	4					
Amphetamines	10.9%	27					

*Treatment figures include Newberry and Saluda counties, served by the same agency

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

SPARTANBURG COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	10					
Low Birth Weight Status	9.3% of live births	15					
Poor Mental Health Days	4.6 (days/month)**	24					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	1,500 per 100,000**	1					
Socio-Economic	Avg Category Ranking	13					
Unemployment Rate	4.0% of labor force**	9					
Median Household Income	\$47,706	12					
K-12 Free and Reduced Lunch Eligible	55.8% eligible	11					
Dropouts, Annually in Grades 9-12	1.9% of total enrolled**	20					
Alcohol Use	Avg Category Ranking	21					
Binge Drinking among Adults	12.6%	18					
Heavy Use of Alcohol among Adults	5.1%	23					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	36%	21					
Alcohol Related Hospitalization and ED Rates	934 per 100,000	23					
Tobacco Use	Avg Category Ranking	21					
Cigarette Use among Adults	19.0% smoke every day	18					
Smokeless Tobacco Use among Adults	3.9% use every day	23					
Opioid Use	Avg Category Ranking	31					
Opioid Overdose Related Deaths	15.3 per 100,000	31					
Opioid Overdose Related Hospitalization and ED Rates	149.3 per 100,000	31					
Infectious Disease	Avg Category Ranking	17					
HIV Rate	7 per 100,000**	5					
Hepatitis C Rate	76 per 100,000	29					
Treatment Services	Avg Category Ranking	32					
Injection Use (current or past use)	4.8%	31					
Tobacco Use (current use)	59.9%	27					
Primary or Secondary Diagnosis							
Alcohol	73.2%	41					
Marijuana	60.0%	42					
Opiates	23.2%	36					
Tobacco	14.8%	16					
Cocaine	16.1%	24					
Amphetamines	18.8%	36					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

SUMTER COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	26					
Low Birth Weight Status	10.5% of live births	24					
Poor Mental Health Days	4.4 (days/month)**	12					
Adolescent Suicide Rate	16 per 100,000	45					
Rate of Juvenile Cases Referred	3,000 per 100,000	22					
Socio-Economic	Avg Category Ranking	34					
Unemployment Rate	5.3% of labor force**	31					
Median Household Income	\$41,205	27					
K-12 Free and Reduced Lunch Eligible	99.9% eligible**	40					
Dropouts, Annually in Grades 9-12	3.1% of total enrolled**	36					
Alcohol Use	Avg Category Ranking	25					
Binge Drinking among Adults	12.9%	21					
Heavy Use of Alcohol among Adults	4.5%	14					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	46%	37					
Alcohol Related Hospitalization and ED Rates	1,046 per 100,000	27					
Tobacco Use	Avg Category Ranking	19					
Cigarette Use among Adults	21.8% smoke every day	27					
Smokeless Tobacco Use among Adults	3.1% use every day	11					
Opioid Use	Avg Category Ranking	10					
Opioid Overdose Related Deaths	5.7 per 100,000	12					
Opioid Overdose Related Hospitalization and ED Rates	83.3 per 100,000	7					
Infectious Disease	Avg Category Ranking	30					
HIV Rate	21 per 100,000**	33					
Hepatitis C Rate	128 per 100,000	27					
Treatment Services	Avg Category Ranking	18					
Injection Use (current or past use)	3.9%	26					
Tobacco Use (current use)	56.5%	21					
Primary or Secondary Diagnosis							
Alcohol	60.8%	26					
Marijuana	51.1%	25					
Opiates	10.7%	6					
Tobacco	7.8%	17					
Cocaine	15.8%	22					
Amphetamines	4.8%	11					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

UNION COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	39					
Low Birth Weight Status	12.3% of live births**	38					
Poor Mental Health Days	4.7(days/month)**	30					
Adolescent Suicide Rate	23.4 per 100,000	46					
Rate of Juvenile Cases Referred	6,600 per 100,000**	43					
Socio-Economic	Avg Category Ranking	29					
Unemployment Rate	5.4% of labor force	33					
Median Household Income	\$39,119	32					
K-12 Free and Reduced Lunch Eligible	69.6% eligible	22					
Dropouts, Annually in Grades 9-12	2.4% of total enrolled**	27					
Alcohol Use	Avg Category Ranking	20					
Binge Drinking among Adults	11.4%	14					
Heavy Use of Alcohol among Adults	0.8%	2					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	36%	21					
Alcohol Related Hospitalization and ED Rates	1,405 per 100,000	42					
Tobacco Use	Avg Category Ranking	27					
Cigarette Use among Adults	26.4% smoke every day	40					
Smokeless Tobacco Use among Adults	3.3% use every day	14					
Opioid Use	Avg Category Ranking	30					
Opioid Overdose Related Deaths	8.6 per 100,000	18					
Opioid Overdose Related Hospitalization and ED Rates	188.8 per 100,000	41					
Infectious Disease	Avg Category Ranking	25					
HIV Rate	14 per 100,000**	24					
Hepatitis C Rate	116 per 100,000	25					
Treatment Services	Avg Category Ranking	30					
Injection Use (current or past use)	4.8%	29					
Tobacco Use (current use)	56.7%	22					
Primary or Secondary Diagnosis							
Alcohol	64.8%	32					
Marijuana	67.5%	46					
Opiates	14.3%	18					
Tobacco	54.6%	42					
Cocaine	14.0%	11					
Amphetamines	20.9%	41					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

WILLIAMSBURG COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	21					
Low Birth Weight Status	13.4% of live births	45					
Poor Mental Health Days	4.8 (days/month)**	34					
Adolescent Suicide Rate	0 per 100,000**	1					
Rate of Juvenile Cases Referred	1,600 per 100,000	3					
Socio-Economic	Avg Category Ranking	32					
Unemployment Rate	6.3% of labor force	40					
Median Household Income	\$28,314	45					
K-12 Free and Reduced Lunch Eligible	99.9% eligible**	40					
Dropouts, Annually in Grades 9-12	0.3% of total enrolled	1					
Alcohol Use	Avg Category Ranking	15					
Binge Drinking among Adults	8.2%	5					
Heavy Use of Alcohol among Adults	2.9%	4					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	35%	17					
Alcohol Related Hospitalization and ED Rates	1,230 per 100,000	35					
Tobacco Use	Avg Category Ranking	34					
Cigarette Use among Adults	26.0% smoke every day	38					
Smokeless Tobacco Use among Adults	4.5% use every day	29					
Opioid Use	Avg Category Ranking	37					
Opioid Overdose Related Deaths	20.2 per 100,000	38					
Opioid Overdose Related Hospitalization and ED Rates	157.4 per 100,000	35					
Infectious Disease	Avg Category Ranking	46					
HIV Rate	34 per 100,000**	45					
Hepatitis C Rate	324 per 100,000	46					
Treatment Services	Avg Category Ranking	34					
Injection Use (current or past use)	6.0%	34					
Tobacco Use (current use)	66.2%	42					
Primary or Secondary Diagnosis							
Alcohol	75.1%	44					
Marijuana	56.2%	36					
Opiates	16.1%	27					
Tobacco	50.2%	40					
Cocaine	27.4%	45					
Amphetamines	2.2%	5					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

2018 County-Level Profile on Substance Use Related Indicators

YORK COUNTY

SOCIAL INDICATOR NAME	VALUE	COUNTY RANKING	COUNTY RANKING IN QUINTILE				
			1	2	3	4	5
			Better		Average	Below Average	
Health Outcomes	Avg Category Ranking	18					
Low Birth Weight Status	8.4% of live births**	4					
Poor Mental Health Days	4.0 (days/month)**	2					
Adolescent Suicide Rate	2.1 per 100,000	40					
Rate of Juvenile Cases Referred	3,500 per 100,000**	27					
Socio-Economic	Avg Category Ranking	8					
Unemployment Rate	4.0% of labor force**	9					
Median Household Income	\$61,044	2					
K-12 Free and Reduced Lunch Eligible	39.6% eligible	1					
Dropouts, Annually in Grades 9-12	1.9% of total enrolled**	20					
Alcohol Use	Avg Category Ranking	27					
Binge Drinking among Adults	17.0%	40					
Heavy Use of Alcohol among Adults	6.4%	33					
Alcohol-Involved Fatal Traffic Crashes (% of all fatal crashes)	41%	32					
Alcohol Related Hospitalization and ED Rates	599 per 100,000	4					
Tobacco Use	Avg Category Ranking	24					
Cigarette Use among Adults	18.5% smoke every day	15					
Smokeless Tobacco Use among Adults	4.7% use every day	33					
Opioid Use	Avg Category Ranking	24					
Opioid Overdose Related Deaths	16.9 per 100,000	35					
Opioid Overdose Related Hospitalization and ED Rates	90.1 per 100,000	12					
Infectious Disease	Avg Category Ranking	22					
HIV Rate	13 per 100,000**	20					
Hepatitis C Rate	114 per 100,000	23					
Treatment Services	Avg Category Ranking	32					
Injection Use (current or past use)	12.7%	45					
Tobacco Use (current use)	65.2%	41					
Primary or Secondary Diagnosis							
Alcohol	67.1%	34					
Marijuana	52.0%	27					
Opiates	31.2%	41					
Tobacco	5.8%	13					
Cocaine	22.8%	37					
Amphetamines	15.7%	33					

** Denotes Tie in Ranking

Note: County-level chart includes four pieces of information: the indicator, its value (typically presented as a percent or rate per 100,000), its ranking and the quintile it falls into based on its ranking. The ranking shows how the county scores on the indicator relative to the other counties in South Carolina.

The ranking is calculated by sorting counties from lowest to highest by the indicator. The higher the value and ranking, the poorer its standings in that subcategory with a ranking of 1 being the best and 46 being the worst.

The average ranking for that category is shown in dark teal, which is an average of the subcategory rankings.

The quintile ranking is calculated by ranking counties from lowest to highest on an indicator and then dividing the counties into 5 groups or quintiles. In the charts, indicators that are in quintile 4 and 5 (shown in dark teal) are counties below the state averages for that subcategory and deserve further attention. Indicators in the top two quintiles (shown in light green) are among the counties best positioned for that subcategory. Quintile 3 (shown in teal) is for the counties approaching the state average for that subcategory.

DATA SOURCES

SOCIAL INDICATOR NAME	YEAR(S)	SOURCE
Health Outcomes		
Low Birth Weight Status	2008-2014	2017 County Health Rankings & Roadmaps SC data file for 2017; Based on National Center for Health Statistics - Natality files, 2008-2014
Poor Mental Health Days	2014-2016	South Carolina Behavioral Risk Factor Surveillance System. Based on % reporting the two highest rates from BRFSS ("8-29 days" and "30 days"), SC DHEC
Adolescent Suicide Rate	2017	SC DHEC; SCAN Death certificate data (available at: http://scangis.dhec.sc.gov/scan/bdp/tables/death2table.aspx) Includes ages 5-17.
Juvenile Cases	2016-2017	SC Dept. of Juvenile Justice. Represents rate of juvenile referrals cases to DJJ for the year. Rate adjusted to include only adolescent population.
Socio-Economic		
Unemployment Rate	2016	Bureau of Labor Statistics
Median Household Income	2016	2018 County Health Rankings & Roadmaps SC data file for 2018; Based on Small Area Income and Poverty Estimates, 2016
K-12 Free and Reduced Lunch Eligible	2015-2016	2018 County Health Rankings & Roadmaps SC data file for 2018; Based on National Center for Education Statistics 2015-2016
Dropouts, Annually in Grades 9-12	2016-2017	South Carolina Department of Education, Report on Student Dropout Rates 2015–16, July 2017. Excludes SC Public Chart, Deaf and Blind, and John Dela Howe schools
Alcohol Use		
Binge Drinking among Adults (past 30 days)	2015-2017	South Carolina Behavioral Risk Factor Surveillance System (2015-2017) , SC DHEC
Heavy Use of Alcohol among Adults (past 30 days)	2015-2017	South Carolina Behavioral Risk Factor Surveillance System (2015-2017) , SC DHEC
Alcohol-Involved Fatal Traffic Crashes	2016	2018 County Health Rankings & Roadmaps SC data file for 2018; Based on Fatality Analysis Reporting System 2012-2016 data
Alcohol Related (Abuse/Dependence) Hospitalization and ED Rates	2017	South Carolina Revenue and Fiscal Affairs Office
Tobacco Use		
Cigarette Use among Adults	2015-2017	South Carolina Behavioral Risk Factor Surveillance System (2015-2017). Based on % reporting smoking every day , SC DHEC
Smokeless Tobacco Use among Adults	2015-2017	South Carolina Behavioral Risk Factor Surveillance System (2015-2017). Based on % reporting smoking every day , SC DHEC
Opioid Use		
Opioid Overdose Related Deaths	2017	Division of Biostatistics, Vital Statistics, SCDHEC
Opioid Overdose Related Hospitalization and ED Rates	2017	South Carolina Revenue and Fiscal Affairs Office
Infectious Disease		
HIV Rate	2017	SC DHEC; SC DHEC STD/HIV/AIDS Surveillance Report, 2017
Hepatitis C Rate	2017	SC Dept of Health and Environmental Control , SC DHEC
Treatment Services		
% of Total Discharges	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Initiation/Engagement of AOD Treatment (ALCOHOL)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Initiation/Engagement of AOD Treatment (MARIJUANA)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Initiation/Engagement of AOD Treatment (OPIATES)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Initiation/Engagement of AOD Treatment (TOBACCO)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Initiation/Engagement of AOD Treatment (COCAINE)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Initiation/Engagement of AOD Treatment (AMPHETAMINES)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Injection Use (current or past use)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017
Tobacco Use (current use)	2017	South Carolina Department of Alcohol and Other Drug Abuse Services Clinical Record Data Extract, State Calendar Year 2017